



622-6

TWO  
SECOND  
SIZE  
WOOLLIES  
IN  
QUICKERKNIT



Patons  
Quickerknit  
Baby  
Wool

Patonised



# Brief Button-through

## Second size cardigan with lacy front panels

### MATERIALS

3 oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 9 and two No. 7 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Seven buttons.

*You must use Quickerknit to be sure of a successful result.*

### MEASUREMENTS

To fit 20-21 inch chest. Length, 9½ ins. Sleeve seam, 6½ ins.

*These instructions apply to the above measurements only; adaptations to other sizes are not available.*

### TENSION

5½ sts. and 7½ rows to one square inch on No. 7 needles, measured over stocking stitch.

*See below for how to check your Tension, and Abbreviations.*

### RIGHT FRONT

Using No. 9 needles, cast on 28 sts. Work 12 rows in K.1, P.1 rib.

**Change to No. 7 needles** and proceed in stocking stitch with lace border as follows:—

**1st row**—P.2, K.5, P.2, K. to end.

**2nd row**—K.1, P. to last 9 sts., K.2, P.5, K.1, P.1. *continued on page 7*

---

## PLEASE READ THIS FIRST

### ABBREVIATIONS

K.=knit; P.=purl; st.=stitch; w.fwd.=wool forward; w.r.n.=wool round needle; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches.


### HOW TO CHECK YOUR TENSION

Before you knit these designs check your tension carefully. Take a pair of No. 7 needles and some Patons Quickerknit Baby Wool. Cast on 11 stitches and work in stocking stitch—

1 row knit; 1 row purl—for 15 rows. Cast off; press **lightly** on wrong side. The tension should be 5½ sts. and 7½ rows to one square inch and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle.

If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch corresponding alterations must be made to the needles throughout.







# Second Size Matinee Coat

**stocking and garter stitch with a dice pattern yoke**

## MATERIALS

4 oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 9 and two No. 7 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

*You must use Quickerknit to be sure of a successful result.*

## MEASUREMENTS

To fit 20-21 inch chest. Length from shoulder to lower edge,  $12\frac{1}{4}$  ins. Sleeve seam,  $6\frac{1}{2}$  ins.

*These instructions apply to the above measurements only; adaptations to other sizes are not available.*

## TENSION

$5\frac{1}{2}$  sts. and  $7\frac{1}{2}$  rows to one square inch on No. 7 needles, measured over stocking stitch.

*See page 2 for how to check your Tension, and Abbreviations.*

## RIGHT FRONT

Using No. 7 needles, cast on 46 sts. Work 8 rows in garter stitch (every row K.).

**Next row**—K.

**Next row**—K.1, P. to last 5 sts., K.5.

Work border as follows:—

**1st row**—K.6, \* P.3, K.1, rep. from \* to end.

**2nd row**—\* K.1, P.3, rep. from \* to last 6 sts., K.6.

**3rd row**—K.5, \* P.1, K.3, rep. from \* to last st., P.1.

**4th row**—As 2nd row.

**5th row**—As 1st row.

**6th row**—K.1, P. to last 5 sts., K.5.

**7th row**—K.

Keeping garter stitch border correct throughout, continue in stocking stitch as on last 2 rows until work measures 7 ins. from beg., finishing at end of a P. row.

**Next row**—K.6, K.2 tog., K.2, (K.2 tog., K.1, K.3 tog., K.1, K.2 tog., K.2) 3 times, K.2 tog., K.1 (32 sts.).

**Change to No. 9 needles** and work 3 rows in garter stitch.

**Next row** (On which a buttonhole is worked)—K.2, w.fwd., K.2 tog., K. to end.

Work 3 more rows in garter stitch.

**Change to No. 7 needles** and work 2 rows in stocking stitch.

**Commence yoke patt.** as follows:—

**1st row**—K.6, \* P.3, K.1, rep. from \* to last 2 sts., P.2.

**2nd row and commencement of armhole shaping:**—Cast off 3 sts. (1 st. on needle after cast-off), P.2, \* K.1, P.3, rep. from \* to last 6 sts., K.6.


**3rd row**—K.5, \* P.1, K.3, rep. from \* to last 4 sts., P.1, K.1, K.2 tog.

**4th row**—P.2, \* K.1, P.3, rep. from \* to last 6 sts., K.6.

Keeping patt. correct as on last 4 rows, dec. 1 st. at armhole edge on next and following alt. row, **at the same time** working a buttonhole on 10th row from previous buttonhole (26 sts.).

Work 15 rows in patt., working a buttonhole as before on 10th row from previous buttonhole.







**\*\* Shape neck** as follows:—

**Next row**—K.5, slip these sts. on to a safety-pin and leave, cast off 2, patt. to end.

Continue in patt., dec. 1 st. at neck edge on every row until 14 sts. remain.

Continue on these sts. until work measures 4 ins. from beg. of armhole shaping, finishing at armhole edge.

**Shape shoulder** by casting off 7 sts. at beg. of next and alt. row.

### LEFT FRONT

Using No. 7 needles, cast on 46 sts. Work 8 rows in garter stitch.

**Next row**—K.

**Next row**—K.5, P. to last st., K.1.

Work border as follows:—

**1st row**—\* K.1, P.3, rep. from \* to last 6 sts., K.6.

**2nd row**—K.6, \* P.3, K.1, rep. from \* to end.

**3rd row**—P.1, \* K.3, P.1, rep. from \* to last 5 sts., K.5.

**4th row**—As 2nd row.

**5th row**—As 1st row.

**6th row**—K.5, P. to last st., K.1.

**7th row**—K.

Keeping garter stitch border correct throughout, continue in stocking stitch as on last 2 rows until work measures same as Right Front up to waist dec., finishing at end of a P. row.

**Next row**—K.1, (K.2 tog., K.2, K.2 tog., K.1, K.3 tog., K.1) 3 times, K.2 tog., K.2, K.2 tog., K.6 (32 sts.).

**Change to No. 9 needles** and work 7 rows in garter stitch.

**Change to No. 7 needles** and work 2 rows in stocking stitch.

**Shape armhole** and commence yoke patt. as follows:—

**1st row**—Cast off 3, P.2, \* K.1, P.3, rep. from \* to last 6 sts., K.6.

**2nd row**—K.5, \* K.1, P.3, rep. from \* to end.

**3rd row**—K.2 tog., K.1, P.1, \* K.3, P.1, rep. from \* to last 5 sts., K.5.

**4th row**—K.5, \* K.1, P.3, rep. from \* to last 3 sts., K.1, P.2.

Keeping patt. correct as on last 4 rows, dec. 1 st. at armhole edge on next and following alt. row (26 sts.).

Work 16 rows in patt.

Complete as Right Front working from \*\* to end.

### BACK

Using No. 7 needles, cast on 89 sts. Work 8 rows in garter stitch.

**Next row**—K.

**Next row**—K.1, P. to last st., K.1.

Work border as follows:—

**1st row**—\* K.1, P.3, rep. from \* to last st., K.1.

**2nd row**—As 1st row.

**3rd row**—\* P.1, K.3, rep. from \* to last st., P.1.

**4th and 5th rows**—As 1st row.

**6th row**—K.1, P. to last st., K.1.

**7th row**—K.

Continue in stocking stitch as on last 2 rows until work measures same as Fronts up to waist dec., finishing at end of a P. row.

**Next row**—K.1, (K 2 tog., K 1, K.3 tog., K.1, K.2 tog., K.2) 8 times (57 sts.).

**Change to No. 9 needles** and work 7 rows in garter stitch.

**Change to No. 7 needles** and work 2 rows in stocking stitch.

**Shape armholes** and commence yoke patt. as follows:—

**1st row**—Cast off 3 sts. (1 st. on needle after cast-off), P.2, \* K.1, P.3, rep. from \* to last 3 sts., K.1, P.2.

**2nd row**—Cast off 3 sts. (1 st. on needle after cast-off), P.2, \* K.1, P.3, rep. from \* to end.

**3rd row**—K.2 tog., K.1, P.1, \* K.3,

P.1, rep. from \* to last 3 sts., K.1, K.2 tog.

**4th row**—P.2, \* K.1, P.3, rep. from \* to last 3 sts., K.1, P.2.

Keeping patt. correct as on last 4 rows, dec. 1 st. at both ends of next and following alt. row (45 sts.).

Continue in patt. until work measures same as Fronts up to shoulder shaping.

**Shape shoulders** by casting off 7 sts. at beg. of next 4 rows.

Cast off.

## SLEEVES

Using No. 9 needles, cast on 27 sts. Work 8 rows in garter stitch.

**Next row**—K.3, (inc. in next st., K.3) 5 times, inc. in next st., K. to end (33 sts.).

**Next row**—K.1, P. to last st., K.1.

**Change to No. 7 needles** and work rows 1 to 5 incl. of border as on Back.

Continue in stocking stitch, inc. 1 st. at both ends of 2nd and every following 8th row until there are 41 sts.

Continue on these sts. until work measures  $6\frac{1}{2}$  ins. from beg., finishing at end of a P. row.

---

*continued from page 2*

**3rd row**—P.2, K.2 tog., w.fwd., K.1, w.fwd., K.2 tog.t.b.l., P.2, K. to end.

**4th row**—As 2nd row.

These 4 rows form the patt.

Continue in patt. until work measures 5 ins. from beg., finishing at side edge.

**\*\* Shape armhole** by casting off 3 sts. at beg. of next row. Dec. 1 st. at armhole edge on next and every alt. row until 21 sts. remain.

Continue on these sts. until work measures 3 ins. from beg. of armhole shaping, finishing at front edge.

**Shape top** by casting off 2 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 23 sts. remain, every row until 11 sts. remain.

Cast off.

## NECKBAND

Using a back-stitch seam join shoulders of Back and Fronts.

Slip 5 sts. from safety-pin at top of Right Front Band on to a No. 9 needle, with right side of work facing, using same needle **knit up** 44 sts. round neck, knit across 5 sts. from Left Front Band (54 sts.).

Work 4 rows in garter stitch working a buttonhole as before on 2nd row.

Cast off.

## TO MAKE UP

With wrong side of work facing block each piece by pinning out round edges. Press each piece using a warm iron and damp cloth. Using a flat seam join side and sleeve seams and stitch Sleeves into position. Attach buttons. Press all seams.

**Shape neck** by casting off 3 sts. at beg. of next row. Dec. 1 st. at neck edge on every row until 14 sts. remain.

Continue on these sts. until work measures  $4\frac{1}{4}$  ins. from beg. of armhole shaping, finishing at armhole edge.

**Shape shoulder** by casting off 7 sts. at beg. of next and alt. row.

## LEFT FRONT

Work to match Right Front reversing all shapings, **noting** that the 4 rows of lace border will be:—

**1st row**—K. to last 9 sts., P.2, K.5, P.2.

**2nd row**—P.1, K.1, P.5, K.2, P. to last st., K.1.

**3rd row**—K. to last 9 sts., P.2, K.2 tog., w.fwd., K.1, w.fwd., K.2 tog.t.b.l., P.2.

**4th row**—As 2nd row.

### BACK

Using No. 9 needles, cast on 56 sts. Work 12 rows in K.1, P.1 rib.

**Change to No. 7 needles** and proceed in stocking stitch as follows:—

**1st row**—K.

**2nd row**—K.1, P. to last st., K.1.

Continue as on these 2 rows until work measures same as Fronts up to armhole shaping.

**Shape armholes** by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 44 sts. remain.

Continue on these sts. until work measures same as Fronts up to shoulder shaping.

**Shape shoulders** by casting off 7 sts. at beg. of next 4 rows.

Cast off.

### SLEEVES

Using No. 9 needles, cast on 28 sts. Work 10 rows in K.1, P.1 rib.

**Change to No. 7 needles** and proceed in stocking stitch as on Back, inc. 1 st. at both ends of 5th and every following 6th row until there are 40 sts.

Continue on these sts. until work measures 6½ ins. from beg., finishing at end of a P. row.

**Shape top** by casting off 2 sts. at beg. of next 2 rows. Dec. 1 st. at both

ends of next and every alt. row until 20 sts. remain; every row until 10 sts. remain. Cast off.

### RIGHT FRONT BAND

Using No. 9 needles, cast on 7 sts.

**1st row**—K.2, (P.1, K.1) twice, K.1.

**2nd row**—K.1, (P.1, K.1) 3 times.

**3rd row**—Rib 3, w.r.n., P.2 tog., rib to end.

Continue in rib working a buttonhole as on 3rd row, on every 12th row from previous buttonhole until 6 buttonholes in all have been worked. Work 2 rows.

Slip sts. on to a safety-pin and leave.

### LEFT FRONT BAND

Omitting buttonholes work to match Right Front Band, working 1 row less.

### NECKBAND

Using a back-stitch seam join shoulders of Back and Fronts.

Slip sts. from Right Front Band on to a No. 9 needle and using same needle, with right side of work facing knit up 43 sts. round neck, rib across sts. of Left Front Band (57 sts.).

Work 5 rows in rib working a buttonhole as before on 4th row.

Cast off in rib.

### TO MAKE UP

Omitting K.1, P.1 rib, with wrong side of work facing block each piece by pinning out round edges. Omitting K.1, P.1 rib, press each piece very lightly using a warm iron and damp cloth. Using a flat seam, join side and sleeve seams and stitch Sleeves into position. Stitch on Front Bands. Attach buttons. Press all seams.

*Please address knitting enquiries concerning this booklet to  
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex  
Prices apply only in Great Britain and Northern Ireland*

**PUBLISHED BY PATONS & BALDWIN'S LIMITED**

*Made and Printed in Great Britain by Percy Lund, Humphries & Co., Ltd., Bradford and London. 9871*